
MICHIGAN DEPARTMENT OF COMMUNITY HEALTH

Division for Vital Records and Health Statistics

INDUCED ABORTIONS IN MICHIGAN January 1 through December 31, 2006

*Michigan Department
of Community Health*



Jennifer M. Granholm, Governor
Janet Olszewski, Director

LANSING, MICHIGAN
JUNE 2007

Table Of Contents

Introduction	1
Trends	
Table A Number, Ratio and Rate of Reported Induced Abortions Occurring In Michigan, 1980-2006	3
Table B-1 Abortions Numbers and Percents by Age of Woman, Weeks Gestation, Procedure, Facility Type and Complications in Michigan, 1985, 1990, 1995, 1998 -2006	4
Table B-2 Abortions Numbers and Percents by Age of Woman, Marital Status, Previous Pregnancy and Previous Abortion in Michigan, 1985, 1990, 1995, 2000 -2006	5
Table C Number, Ratio and Rate of Reported Induced Abortions, United States, 1980-2003	6
Table D Number of Reported Induced Abortions by Age of Woman, Michigan Residents, 1980-2006	7
Table E Number of Reported Abortions by Selected Characteristics, Michigan Residents, 1980-2006	8
Table F Number, Ratio and Rate of Reported Induced Abortions, Michigan Residents, 1980-2006 ..	9
Table G-1 Abortion Numbers by County of Residence, State of Michigan, Michigan Counties and Detroit City, 1995-2006	10
Table G-2 Abortion Rates by County of Residence, State of Michigan, Michigan Counties and Detroit City 1995-2006	13
Abortions, 2006	
Table 1 Number of Reported Induced Abortions by County of Residence, Michigan Residents, 2006	16
Table 2 Number of Reported Induced Abortions by County of Residence and Age of Woman, Michigan Residents, 2006	17
Table 3-A Number of Reported Induced Abortions by City of Residence and Age of Woman for Cities with Over 40,000 Population, Michigan Residents, 2006	20
Table 3-B Number of Reported Induced Abortions by Area of Residence and Age of Woman for Selected Large Metropolitan Areas, Michigan Residents, 2006	22
Table 4 Number of Reported Induced Abortions by County of Residence and Number of Previous Induced Abortions, Michigan Residents, 2006	23
Table 5 Number and Percent of Reported Induced Abortions by Age of Woman and Marital Status, Michigan Residents, 2006	26
Table 6 Number and Percent of Reported Induced Abortions by Source of Referral and Age of Woman, Michigan Residents, 2006	27
Table 7 Number and Percent of Reported Induced Abortions by the Number of Previous Pregnancies Carried to Term and Marital Status, Michigan Residents, 2006	28
Table 8 Number and Percent of Reported Induced Abortions by Age of Woman and Number of Previous Spontaneous Abortions, Michigan Residents, 2006	29
Table 9 Number and Percent of Reported Induced Abortions by County of Occurrence, Michigan Occurrences, 2006	30
Table 10 Number and Percent of Reported Induced Abortions by Weeks of Gestation and Principal Procedure, Michigan Occurrences, 2006	31
Table 11 Number and Percent of Reported Induced Abortions by Weeks of Gestation and Type of Facility, Michigan Occurrences, 2006	32
Table 12 Number and Percent of Reported Induced Abortions by Principal Procedure and Type of Facility, Michigan Occurrences, 2006	33
Table 13 Number and Percent of Reported Induced Abortions with Any Mention of Immediate Complication by Type of Immediate Complication, Michigan Occurrences, 2006	34

Table of Contents (Continued)

Table 14	Number of Reported Induced Abortions with Any Mention of Immediate Complication by Selected Characteristics, Michigan Occurrences, 2006	35
Table 15	Number of Reported Induced Abortions by Evidence of Life, Michigan Occurrences, 2006	36
Table 16	Number and Percent of Reported Induced Abortions by Weight of Fetus, Michigan Occurrences, 2006	37
Table 17	Number and Percent of Reported Induced Abortions by Race of Woman, Michigan Residents, 2006	38
Table 18	Number and Percent of Reported Induced Abortions by Race of Woman and Marital Status, Michigan Residents, 2006	39
Table 19	Number and Percent of Reported Induced Abortions by Race of Woman and Number of Previous Spontaneous Abortions, Michigan Residents, 2006	40
Table 20	Number and Percent of Reported Induced Abortions by the Source of Payment and Race of Woman, Michigan Residents, 2006	41
Table 21	Number and Percent of Reported Induced Abortions by Race and Age of Woman, Michigan Residents, 2006	42
Table 22	Number and Percent of Reported Induced Abortions with Any Mention of Subsequent Complication by Type of Subsequent Complication, Michigan Occurrences, 2006	43
Table 23	Number and Percent of Reported Induced Abortions by the Source of Payment and Age of Woman, Michigan Residents, 2006	44
Table 24	Number and Percent of Reported Induced Abortions by Weeks of Gestation and Method to Confirm Pregnancy, Michigan Occurrences, 2006	45
Table 25	Number of Reported Induced Abortions with Any Mention of Subsequent Complication by Selected Characteristics, Michigan Occurrences, 2006	46

Characteristics of Induced Abortions Reported in Michigan

A total of 25,636 induced abortions were reported in Michigan in 2006, which was an 1.7 percent increase from the total of 25,209 reported in 2005 and a 47.8 percent decrease since 1987 (the year with the largest number of induced abortions). (See Table A.)

Michigan residents received 97.2 percent of the induced abortions that occurred in Michigan in 2006. This proportion is similar to that which was observed in previous years.

In 2006, 51.3 percent of the resident women receiving abortions had no previous induced abortions. In general, from 1985 through 2006, a gradual increase has been observed with the proportion of women reporting two or more induced abortions, going from 14.6 percent in 1985 to 22.6 percent in 2006. The proportion of women who had no previous induced abortion has been generally declining, falling from 59.5 percent in 1985 to 51.3 percent in 2006. (See Table E.)

The majority of Michigan residents receiving induced abortions (50.7 percent) were under 25 years of age, while 18.4 percent were less than 20 years old. These are much smaller proportions than the 64.6 and 30.6 percent observed, respectively, in 1985.

In 2006, 86.8 percent of the Michigan women who obtained an induced abortion were not married, a 5.3% increase from the 82.4 percent reported in 1985. (See Table E.)

Other than self-referral, which was reported for 88.2 percent of all induced abortions in 2006 (up from 85.1 percent in 2005), the most frequent source of referral for induced abortion services was a family member or a friend (5.5 percent, down from 6.8 percent in 2005) and a physician (2.9 percent, down from 3.3 percent in 2005). (See Table 6.)

Over half (59.6 percent up from 59.5 percent in 2005) of the resident women obtaining induced abortions in 2006 had a previous term pregnancy. Of the women who had a previous term pregnancy, more than one-half in 2006 had at least two or more term pregnancies. (See Table 7.)

Among all induced abortions reported in 2006 in Michigan (including both residents and non-residents), most involved pregnancies of 12 weeks or less (90.3 percent) and suction was the most frequent procedure at 81.5 percent. (See Table 10.)

Abortions performed in physicians' private offices represented 73.1 percent of all reported induced abortions in 2006; those performed in freestanding outpatient surgical facilities comprised 26.4 percent, with the remainder occurring in hospitals. (See Table 11.)

Most abortion reports indicate no immediate complications. In 2006 immediate complications were reported in 5 cases or less than one of each 1,000 induced abortions performed. (See Table 13.)

In 2006, self-pay was indicated as the source of payment for most induced abortions (97.6%). (See Table 23.)

In 2006, ultrasound was the most common method reported for confirming the pregnancy (89.5%). (See Table 24.)

Information on complications subsequent to an abortion was also collected for the first time in 2001. This information is required to be reported, on a separate reporting form, by any physician who provided care to a woman suffering from a physical complication that was the result of an abortion occurring within seven days of the abortion. Twelve reports of subsequent complications were submitted in 2006. (See Table 25.) for a summary of these reports.

Information on the race of the woman obtaining an induced abortion was collected for the first time in 2003. Of the Michigan residents receiving abortions in 2006, 53.1 percent were white, 39.9 percent were black and 2.2 percent were Asian/Pacific Islander. Less than two percent were American Indian, Multi-Racial or of some other race. (See Table 17.)

Technical Notes

The state of Michigan has established a mandatory reporting system for induced abortions (MCL 333.2835). According to this law, abortion reports are not allowed to contain any common identifiers that would make it possible to identify, in any manner or under any circumstances, an individual who obtained or seeks to obtain an abortion. Abortion reports are prepared and submitted to the Department of Community Health by the physician who performs the abortion. The reports are not legal records; they are used only to produce statistical data for health and medical purposes.

The tables in this report are based on induced abortion reports for 2006 that were received by the Department of Community Health on or before January 31, 2007. Definitions of the terms used are given in the footnotes of the individual tables, where necessary.

Table A
Number, Ratio and Rate
of Reported Induced Abortions
Occurring in Michigan, 1980 - 2006

Year	Induced Abortions	Ratio	Rate
1980	45,455	313.1	20.7
1981	45,787	325.7	21.0
1982	43,512	315.4	20.0
1983	40,528	304.7	18.8
1984	42,062	309.8	19.4
1985	42,678	309.1	19.5
1986	41,710	303.1	18.8
1987	49,098	349.5	22.0
1988	46,747	334.8	21.0
1989	36,557	246.7	16.5
1990	36,183	236.4	16.3
1991	34,555	231.2	15.5
1992	34,496	239.8	15.5
1993	35,737	256.1	16.1
1994	33,061	239.8	14.9
1995	31,091	231.7	14.0
1996	30,208	226.7	13.6
1997	29,528	221.1	13.3
1998	28,107	210.6	12.7
1999	26,207	196.6	11.9
2000	26,807	197.1	12.4
2001	28,220	223.8	13.1
2002	29,231	228.5	13.7
2003	29,540	226.8	14.4
2004	26,269	205.0	12.8
2005	25,209	199.3	12.0
2006	25,636	203.1	12.2

Note: The ratio is the number of reported induced abortions occurring in Michigan per 1,000 Michigan live births. The rate is the number of reported induced abortions occurring in Michigan per 1,000 Michigan women aged 15-44.

Source: 1980 - 2006 Files of Induced Abortions Occurring in Michigan and 1980 - 2006 Michigan Resident Live Birth Files. Vital Records & Health Data Development Section, Michigan Department of Community Health.
 Population Estimate (latest update 9/2007), National Center for Health Statistics, [U.S. Census Populations With Bridged Race Categories](#).

Table B-1
Characteristics of Reported Induced Abortions in Michigan, 1985 - 2006

Characteristics of Occurrences	1985	1990	1995	1998	1999	2000	2002	2003	2004	2005	2006
All Reported Occurrences	42,678	36,183	31,091	28,107	26,207	26,807	29,231	29,540	26,269	25,209	25,636
Age of Woman:											
Under 18	n.a.	3,820	2,798	2,080	1,849	1,860	1,937	2,008	1,770	1,732	1,732
Percent of All Occurrences	n.a.	10.6	9.0	7.4	7.1	6.9	6.6	6.8	6.7	6.9	6.8
Weeks of Gestation:											
12 Weeks or Less	35,631	31,729	26,177	25,162	22,998	23,263	26,111	26,530	23,450	22,509	23,139
Percent of All Occurrences	83.5	87.7	84.2	89.5	87.8	86.8	89.3	89.8	89.3	89.3	90.3
Principal Procedure Used:											
Suction Curettage	40,974	35,912	30,507	23,296	21,303	22,683	24,151	24,066	20,894	20,090	20,903
Percent of All Occurrences	96.0	99.3	98.1	82.9	81.3	84.6	82.6	81.5	79.5	79.7	81.5
Facility Type:											
Freestanding or Hospital Satellite Clinic	13,830	15,469	10,494	8,521	7,133	6,066	4,644	5,064	5,615	6,936	6,778
Percent of All Occurrences	32.4	42.8	33.8	30.3	27.2	22.6	15.9	17.1	21.4	27.5	26.4
Physician's Private Office	20,757	20,056	20,337	18,991	18,772	20,384	24,441	24,359	20,298	18,127	18,745
Percent of All Occurrences	48.6	55.4	65.4	67.6	71.6	76.0	83.6	82.5	77.3	71.9	73.1
Immediate Complications:											
Presence of Immediate Complication(s)	112	34	9	24	24	26	18	10	13	5	5
Ratio per 1,000 Occurrences	2.6	0.9	0.3	0.9	0.9	1.0	0.6	0.3	0.5	0.2	0.2
Subsequent Complications:											
Presence of Subsequent Complication(s)	n.a.	n.a.	n.a.	n.a.	n.a.	7	4	14	12	9	12
Ratio per 1,000 Occurrences	n.a.	n.a.	n.a.	n.a.	n.a.	0.3	0.1	0.5	0.5	0.4	0.5

Note: Subsequent complications are those complications that are not evident and reported in conjunction with the abortion but are reported within 7 days of initially providing care for a condition that is known to have been caused by an abortion. "n.a." indicates data not available.

Source: 1980 - 2006 Files of Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

**Table B-2
Characteristics of Reported Induced Abortions
in Michigan, 1985 - 2006**

Reported Abortions	1985	1990	1995	2000	2002	2003	2004	2005	2006
All Reported Occurrences	42,678	36,183	31,091	26,807	29,231	29,540	26,269	25,209	25,636
All Reported Abortions to Residents	41,400	34,655	29,751	26,027	28,229	28,584	25,512	24,496	24,905
Percent of All Occurrences	97.0	95.8	95.7	97.1	96.6	96.8	97.1	97.2	97.1
Reported Abortion Ratio	302.6	226.4	221.7	191.3	220.7	219.5	199.1	193.8	197.3
Selected Characteristics									
Age of Woman									
Under 20 Years	12,666	8,754	6,393	4,992	4,932	5,033	4,642	4,575	4,582
Percent	30.6	24.2	21.5	19.2	17.5	17.6	18.2	18.7	18.4
20 - 24 Years	14,070	11,421	9,901	8,305	9,409	9,379	8,098	7,986	8,044
Percent	34.0	31.6	33.3	31.9	33.3	32.8	31.7	32.6	32.3
25 - 29 Years	8,049	7,234	6,429	6,098	6,463	6,574	5,823	5,520	5,719
Percent	19.4	20.0	21.6	23.4	22.9	23.0	22.8	22.5	23.0
30 Years +	6,511	7,190	6,967	6,484	7,306	7,456	6,855	6,396	6,543
Percent	15.7	19.9	23.4	24.9	25.9	26.1	26.9	26.1	26.3
Marital Status									
Not Married	34,119	28,119	24,895	21,793	23,911	24,169	21,789	21,165	21,620
Percent	82.4	81.1	83.7	83.7	84.7	84.6	85.4	86.4	86.8
Had Previous Term Pregnancy									
Percent	47.8	51.5	55.5	59.6	63.3	61.8	60.3	59.5	59.6
Previous Induced Abortion									
None	24,650	19,180	15,392	13,354	14,275	14,703	13,266	12,494	12,777
Percent	59.5	55.3	51.7	51.3	50.6	51.4	52.0	51.0	51.3
Two or More	6,033	5,765	6,062	5,845	6,601	6,515	5,695	5,599	5,622
Percent	14.6	16.6	20.4	22.5	23.4	22.8	22.3	22.9	22.6

Note: Term pregnancies are those which lasted 37 weeks or longer, regardless of the outcome. Abortion ratio is per 1,000 live births. Ratio for 2006 is based upon provisional estimate of 126,213 resident live births.

Source: 1985 - 2006 Files of Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table C
Number, Ratio and Rate of Reported Induced Abortions
United States, 1980 - 2003

Year	Induced Abortions	Ratio	Rate
1980	1,297,606	359	25
1985	1,328,570	353	24
1990	1,429,247	344	24
1991	1,388,937	338	24
1992	1,359,146	334	23
1993	1,330,414	333	23
1994	1,267,415	321	21
1995	1,210,883	311	20
1996	1,225,937	315	21
1997	1,186,039	306	20
1998	884,273	264	17
1999	861,789	256	17
2000	857,475	245	16
2001	853,485	246	16
2002	854,122	246	16
2003	848,163	241	16

Note: The ratio is the number of reported induced abortions per 1,000 live births. The rate is the number of reported induced abortions per 1,000 women aged 15-44 years.

Source: [Morbidity and Mortality Weekly Report](#), November 24, 2006. Vol. 55 / No. SS--11. National Center For Health Statistics.

Table D
Number of Reported Induced Abortions by Age of Woman
Michigan Residents, 1980-2006

Year	Age of Woman								
	All Ages	Under 20 Years		20 - 24 Years		25 - 29 Years		30 Years or Older	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
1980	43,964	13,822	31.4	15,779	35.9	8,354	19.0	5,859	13.3
1981	44,031	13,506	30.7	15,516	35.2	8,520	19.4	6,401	14.5
1982	41,866	12,863	30.7	14,686	35.1	8,135	19.4	6,086	14.5
1983	38,949	12,356	31.7	13,396	34.4	7,541	19.4	5,557	14.3
1984	40,747	12,513	30.7	14,056	34.5	7,971	19.6	6,096	15.0
1985	41,400	12,666	30.6	14,070	34.0	8,049	19.4	6,511	15.7
1986	40,441	12,041	29.8	13,703	33.9	7,922	19.6	6,702	16.6
1987	47,814	13,624	28.5	16,093	33.7	9,756	20.4	8,242	17.2
1988	45,438	12,900	28.4	14,895	32.8	9,391	20.7	8,158	18.0
1989	35,138	9,625	27.4	11,122	31.7	7,283	20.7	7,044	20.0
1990	34,655	8,754	25.3	11,421	33.0	7,234	20.9	7,190	20.7
1991	33,119	7,750	23.4	11,575	34.9	6,746	20.4	6,995	21.1
1992	33,160	7,464	22.5	11,758	35.5	6,789	20.5	7,110	21.4
1993	34,329	7,203	21.0	12,309	35.9	7,121	20.7	7,636	22.2
1994	31,798	6,852	21.5	11,132	35.0	6,644	20.9	7,088	22.3
1995	29,751	6,393	21.5	9,901	33.3	6,429	21.6	6,967	23.4
1996	28,913	6,150	21.3	9,313	32.2	6,601	22.8	6,821	23.6
1997	28,386	5,807	20.5	9,023	31.8	6,669	23.5	6,840	24.1
1998	27,085	5,409	20.0	8,616	31.8	6,505	24.0	6,555	24.2
1999	25,388	4,855	19.1	8,128	32.0	6,045	23.8	6,360	25.1
2000	26,027	4,992	19.2	8,305	31.9	6,098	23.4	6,484	24.9
2001	27,208	5,033	18.5	9,064	33.3	6,201	22.8	6,760	24.8
2002	28,229	4,932	17.5	9,409	33.3	6,463	22.9	7,306	25.9
2003	28,584	5,033	17.6	9,379	32.8	6,574	23.0	7,456	26.1
2004	25,512	4,642	18.2	8,098	31.7	5,823	22.8	6,855	26.9
2005	24,496	4,575	18.7	7,986	32.6	5,520	22.5	6,396	26.1
2006	24,905	4,582	18.4	8,044	32.3	5,719	23.0	6,543	26.3

Note: Reports with unknown age of woman are included in the 'All Ages' column only.

Source: 1980-2006 Files of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table E
Number of Reported Abortions by Selected Characteristics
Michigan Residents, 1980-2006

Year	Total	Marital Status: Not Married		Had a Previous Term Pregnancy		Previous Induced Abortion			
						None		Two or More	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
1980	43,964	34,481	78.4	20,040	45.6	29,104	66.2	4,194	9.5
1981	44,031	35,095	79.7	20,497	46.6	28,424	64.6	4,814	10.9
1982	41,866	33,927	81.0	19,655	46.9	27,079	64.7	4,916	11.7
1983	38,949	32,245	82.8	18,075	46.4	23,650	60.7	5,375	13.8
1984	40,747	33,563	82.4	19,100	46.9	24,162	59.3	5,765	14.1
1985	41,400	34,119	82.4	19,804	47.8	24,650	59.5	6,033	14.6
1986	40,441	33,438	82.7	19,742	48.8	23,985	59.3	5,953	14.7
1987	47,814	39,421	82.4	23,876	49.9	27,294	57.1	7,518	15.7
1988	45,438	37,432	82.4	23,677	52.1	25,504	56.1	7,423	16.3
1989	35,138	28,334	80.6	17,475	49.7	19,553	55.6	5,750	16.4
1990	34,655	28,119	81.1	17,842	51.5	19,180	55.3	5,765	16.6
1991	33,119	27,103	81.8	17,771	53.7	17,678	53.4	5,873	17.7
1992	33,160	27,450	82.8	17,478	52.7	18,383	55.4	5,744	17.3
1993	34,329	28,655	83.5	19,355	56.4	17,659	51.4	6,710	19.5
1994	31,798	26,890	84.6	17,709	55.7	16,717	52.6	6,470	20.3
1995	29,751	24,895	83.7	16,523	55.5	15,392	51.7	6,062	20.4
1996	28,913	23,969	82.9	16,437	56.8	14,960	51.7	6,100	21.1
1997	28,386	23,546	82.9	16,190	57.0	14,033	49.4	6,395	22.5
1998	27,085	22,382	82.6	15,977	59.0	14,510	53.6	5,494	20.3
1999	25,388	21,335	84.0	14,446	56.9	13,755	54.2	5,186	20.4
2000	26,027	21,793	83.7	15,501	59.6	13,354	51.3	5,845	22.5
2001	27,208	22,918	84.2	16,745	61.5	14,248	52.4	5,746	21.1
2002	28,229	23,911	84.7	17,857	63.3	14,275	50.6	6,601	23.4
2003	28,584	24,169	84.6	17,662	61.8	14,703	51.4	6,515	22.8
2004	25,512	21,789	85.4	15,388	60.3	13,266	52.0	5,695	22.3
2005	24,496	21,165	86.4	14,574	59.5	12,494	51.0	5,599	22.9
2006	24,905	21,620	86.8	14,841	59.6	12,777	51.3	5,622	22.6

Note: Term pregnancies are those which lasted 37 weeks or longer, regardless of the outcome.

Source: 1980-2006 Files of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table F
Number, Ratio and Rate of
Reported Induced Abortions
Michigan Residents,
1980 - 2006

Year	Induced Abortions	Ratio	Rate
1980	43,964	302.9	20.1
1981	44,031	313.2	20.1
1982	41,866	303.5	19.3
1983	38,949	292.8	18.0
1984	40,747	300.1	18.8
1985	41,400	299.9	18.9
1986	40,441	293.8	18.3
1987	47,814	340.4	21.4
1988	45,438	325.4	20.4
1989	35,138	237.2	15.9
1990	34,655	226.4	15.6
1991	33,119	221.6	14.8
1992	33,160	230.6	14.9
1993	34,329	246.0	15.5
1994	31,798	230.7	14.4
1995	29,751	221.7	13.4
1996	28,913	217.0	13.0
1997	28,386	212.6	12.8
1998	27,085	202.7	12.3
1999	25,388	190.5	11.6
2000	26,027	191.3	12.1
2001	27,208	215.7	12.6
2002	28,229	220.7	13.2
2003	28,584	219.5	13.4
2004	25,512	199.1	12.4
2005	24,496	193.8	11.7
2006	24,905	197.3	11.9

Note: The ratio is the number of reported induced abortions to Michigan residents per 1,000 Michigan live births. Ratio for 2006 is based upon provisional estimate of 126,213 resident live births. The rate is the number of reported induced abortions to Michigan Residents per 1,000 Michigan women aged 15-44. The 2006 rate are based on population estimates for 2005.

Source: 1980 - 2006 Michigan Resident Abortion Files and 1980 - 2006 Michigan Resident Live Birth Files. Vital Records & Health Data Development Section, Michigan Department of Community Health.
 Population Estimate (latest update 9/2007), National Center for Health Statistics, [U.S. Census Populations With Bridged Race Categories](#).

**Table G-1
Abortion Numbers by County of Residence,
State of Michigan, Michigan Counties and Detroit City, 1996 - 2006**

County	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Michigan	28,913	28,386	27,085	25,388	26,027	27,208	28,229	28,584	25,512	24,496	24,905
Alcona	7	7	12	10	10	5	9	3	8	8	6
Alger	11	12	10	5	3	7	8	3	5	7	3
Allegan	105	118	124	147	136	187	179	183	158	131	123
Alpena	35	27	31	32	32	27	29	32	23	29	24
Antrim	19	10	18	29	18	30	22	27	21	17	31
Arenac	14	30	22	18	16	24	22	28	25	25	25
Baraga	3	4	4	7	10	6	4	5	-	6	2
Barry	48	51	61	66	68	57	69	45	46	48	67
Bay	224	196	202	206	194	231	198	211	191	194	202
Benzie	23	10	21	16	14	9	19	16	12	20	25
Berrien	443	401	384	387	379	370	339	340	344	277	300
Branch	70	70	65	80	68	57	55	68	80	55	52
Calhoun	399	433	408	375	332	347	365	387	323	340	341
Cass	86	94	85	71	70	69	61	60	65	46	67
Charlevoix	29	30	34	42	39	47	40	44	30	38	23
Cheboygan	25	15	15	22	15	26	33	31	27	25	23
Chippewa	45	47	44	36	56	49	30	45	45	45	27
Clare	39	36	43	28	36	41	55	47	39	36	43
Clinton	98	103	63	69	62	71	64	83	71	79	89
Crawford	15	15	6	13	15	21	7	17	15	16	15
Delta	9	8	10	19	11	14	11	12	14	10	7
Dickinson	2	3	3	6	5	4	3	5	4	4	2
Eaton	210	199	191	165	191	188	185	218	140	198	192
Emmet	45	32	38	42	53	58	39	42	58	43	35
Genesee	1,630	1,526	1,588	1,395	1,793	2,108	1,808	1,911	1,759	1,600	1,566
Gladwin	22	27	37	29	23	37	26	36	40	35	32
Gogebic	-	-	-	3	1	-	5	-	-	3	1
Grand Traverse	103	123	129	144	117	176	170	150	159	140	138
Gratiot	69	53	62	51	51	55	59	52	57	54	54
Hillsdale	62	77	63	55	57	42	46	68	45	54	44
Houghton	18	14	31	16	21	17	17	16	19	8	14
Huron	30	26	24	37	32	36	30	30	36	32	28
Ingham	1,466	1,452	1,369	1,234	1,263	1,153	1,101	1,145	696	971	1,093
Ionia	66	80	61	52	80	83	75	75	75	93	100
Iosco	35	30	34	35	34	39	35	30	40	33	29

**Table G-1
Abortion Numbers by County of Residence,
State of Michigan, Michigan Counties and Detroit City, 1996 - 2006**

County	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Iron	2	2	3	3	2	4	6	5	2	-	3
Isabella	134	154	135	149	135	149	118	159	120	149	123
Jackson	429	402	383	373	351	321	326	380	320	328	333
Kalamazoo	963	962	981	968	927	889	930	911	857	844	844
Kalkaska	13	12	15	20	15	17	21	27	17	20	13
Kent	780	806	1,122	1,286	1,175	1,594	1,552	1,594	1,469	1,437	1,534
Keweenaw	1	-	-	-	1	1	1	2	1	-	-
Lake	12	11	5	8	14	13	10	17	12	9	8
Lapeer	176	177	166	121	150	175	127	155	112	127	118
Leelanau	15	23	19	21	25	23	23	20	17	27	25
Lenawee	139	126	135	121	130	148	135	134	132	127	114
Livingston	275	257	270	267	287	246	237	317	268	291	232
Luce	6	3	8	8	7	3	4	5	7	2	4
Mackinac	24	18	23	22	20	24	19	31	16	14	15
Macomb	2,312	2,225	2,161	1,935	1,797	1,730	1,964	2,061	1,841	1,833	2,111
Manistee	16	18	28	21	31	30	36	29	35	25	31
Marquette	52	40	62	67	74	58	54	64	73	62	75
Mason	23	34	28	48	48	47	33	42	32	30	29
Mecosta	46	62	70	49	84	76	56	68	66	70	56
Menominee	-	1	1	2	3	1	1	2	1	2	-
Midland	120	95	93	101	93	128	92	124	127	110	105
Missaukee	15	11	13	10	16	13	9	18	11	15	20
Monroe	266	219	137	158	154	243	262	227	207	186	181
Montcalm	68	57	70	75	100	102	78	92	102	78	85
Montmorency	14	8	12	4	10	15	14	6	10	12	9
Muskegon	362	362	403	411	486	477	452	446	503	478	423
Newaygo	21	26	33	35	40	68	52	67	62	49	51
Oakland	3,750	3,787	2,996	2,175	2,785	2,741	2,629	2,758	2,756	2,457	2,227
Oceana	11	35	25	24	27	28	28	33	31	26	21
Ogemaw	13	22	19	18	19	24	28	23	31	21	22
Ontonagon	2	-	1	-	1	3	4	-	2	2	-
Osceola	20	16	32	21	30	26	31	35	18	28	20
Oscoda	7	4	5	6	8	10	7	10	3	6	6
Otsego	25	36	24	33	21	42	34	42	25	52	24
Ottawa	177	238	268	290	279	319	327	329	325	337	315
Presque Isle	10	13	4	10	9	16	11	8	11	9	6
Roscommon	28	39	31	36	26	29	39	42	25	27	29

**Table G-1
Abortion Numbers by County of Residence,
State of Michigan, Michigan Counties and Detroit City, 1996 - 2006**

County	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Saginaw	668	626	583	558	640	677	628	660	694	583	551
St Clair	473	453	462	444	391	336	363	315	333	322	298
St Joseph	120	95	115	123	97	96	100	100	85	80	84
Sanilac	53	55	62	67	45	62	51	39	36	44	48
Schoolcraft	1	4	7	5	2	4	4	5	3	2	5
Shiawassee	137	118	109	92	121	120	115	132	109	100	108
Tuscola	61	85	86	79	66	90	82	78	81	66	75
Van Buren	169	164	152	166	194	173	187	162	143	156	142
Washtenaw	1,438	1,493	1,301	1,287	1,171	1,083	1,168	1,323	1,168	1,098	1,115
Wayne	9,927	9,587	9,076	8,673	8,568	8,984	10,494	9,963	8,486	7,990	8,398
Detroit	6,369	6,354	6,465	6,106	5,855	5,784	7,030	6,269	5,032	4,894	5,399
Wayne Excluding Detroit	3,558	3,233	2,611	2,567	2,713	3,200	3,464	3,694	3,454	3,096	2,999
Wexford	29	33	38	38	36	52	51	45	49	43	45

Note: - A dash indicates quantity zero. Unknown county of residence is included in Michigan's total only.

Source: 1996 - 2006 Michigan Abortion Files, Vital Records & Health Data Development Section, Michigan Department of Community Health. Population Estimate (latest update 9/2007), National Center for Health Statistics, [U.S. Census Populations With Bridged Race Categories](#).

Table G-2
Abortion Rates by County of Residence,
State of Michigan, Michigan Counties and Detroit City, 1996 - 2006

County	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Michigan	13.0	12.8	12.3	11.6	12.1	12.6	13.2	13.4	12.0	11.7	11.9
Alcona	4.1	4.1	7.1	6.0	6.0	*	5.3	*	4.7	4.6	3.4
Alger	6.4	7.0	6.0	*	*	4.4	5.1	*	*	4.5	*
Allegan	4.9	5.4	5.7	6.7	6.1	8.2	7.7	7.8	6.8	5.6	5.2
Alpena	5.7	4.5	5.2	5.4	5.3	4.5	4.9	5.5	4.0	5.2	4.3
Antrim	4.8	2.5	4.5	7.2	4.4	7.1	5.0	6.0	4.7	3.8	6.9
Arenac	4.5	9.8	7.2	5.9	5.0	7.5	7.0	8.9	7.9	8.0	8.0
Baraga	*	*	*	5.0	7.0	4.2	*	*	-	4.3	*
Barry	4.3	4.5	5.4	5.9	5.9	4.8	5.8	3.7	3.8	4.0	5.5
Bay	9.3	8.2	8.6	8.9	8.6	10.4	9.1	9.8	8.9	9.3	9.7
Benzie	8.8	3.7	7.7	5.8	4.7	2.9	5.9	4.9	3.7	6.0	7.5
Berrien	12.7	11.6	11.3	11.5	11.3	11.2	10.3	10.4	10.5	8.7	9.4
Branch	7.6	7.5	7.1	8.8	7.2	6.1	5.8	7.2	8.4	6.0	5.7
Calhoun	13.1	14.3	13.5	12.4	11.5	12.1	12.7	13.6	11.3	12.1	12.1
Cass	8.2	9.0	8.2	6.9	7.1	6.9	6.1	6.0	6.5	4.7	6.8
Charlevoix	5.9	6.1	6.9	8.4	7.8	9.2	7.9	8.7	5.9	7.7	4.7
Cheboygan	5.7	3.4	3.4	5.0	3.1	5.3	6.6	6.2	5.4	5.0	4.6
Chippewa	6.6	7.0	6.6	5.5	7.8	6.9	4.2	6.3	6.3	6.2	3.7
Clare	7.2	6.6	7.8	5.1	6.3	7.1	9.2	7.9	6.5	6.0	7.2
Clinton	7.0	7.3	4.5	4.9	4.6	5.2	4.6	5.9	5.1	5.5	6.2
Crawford	5.9	5.8	2.3	5.0	5.8	7.8	2.6	6.1	5.4	5.8	5.4
Delta	1.1	1.0	1.3	2.5	1.5	1.9	1.5	1.7	1.9	1.4	1.0
Dickinson	*	*	*	1.2	*	*	*	*	*	*	*
Eaton	9.0	8.5	8.2	7.1	8.5	8.3	8.2	9.7	6.2	9.0	8.7
Emmet	7.5	5.3	6.3	7.0	8.4	9.0	6.1	6.5	9.0	6.7	5.5
Genesee	16.0	15.1	15.9	14.0	18.6	22.0	19.0	20.3	18.7	17.2	16.8
Gladwin	4.9	6.0	8.1	6.4	5.1	7.9	5.5	7.4	8.3	7.1	6.5
Gogebic	-	-	-	*	*	-	*	-	-	*	*
Grand Traverse	6.2	7.4	7.7	8.6	7.1	10.6	10.1	8.9	9.4	8.4	8.3
Gratiot	8.1	6.3	7.3	6.1	6.1	6.6	7.1	6.2	6.8	6.6	6.6
Hillsdale	6.4	7.9	6.5	5.7	6.0	4.4	4.9	7.1	4.7	5.7	4.7
Houghton	2.7	2.1	4.8	2.5	3.1	2.5	2.5	2.3	2.7	1.2	2.1
Huron	4.6	4.0	3.7	5.8	5.0	5.7	4.8	4.9	5.8	5.4	4.8

Table G-2
Abortion Rates by County of Residence,
State of Michigan, Michigan Counties and Detroit City, 1996 - 2006

County	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Ingham	18.7	18.7	17.8	16.2	17.4	16.0	15.4	16.3	9.9	13.9	15.7
Ionia	5.0	6.1	4.6	4.0	6.6	6.7	6.1	6.1	6.1	7.5	8.0
Iosco	7.8	6.7	7.7	7.9	7.5	8.6	7.8	6.8	9.0	7.4	6.5
Iron	*	*	*	*	*	*	3.0	*	*	-	*
Isabella	8.1	9.3	8.1	8.9	7.1	7.8	6.1	8.4	6.3	7.8	6.1
Jackson	13.3	12.4	11.9	11.6	11.1	10.1	10.3	11.9	10.0	10.3	10.5
Kalamazoo	16.8	16.9	17.3	17.2	16.2	15.7	16.4	16.2	15.2	15.2	15.2
Kalkaska	4.2	3.9	4.9	6.5	4.5	5.0	6.2	7.8	4.9	5.9	3.8
Kent	6.2	6.4	8.9	10.2	8.9	12.0	11.8	12.2	11.3	11.2	11.9
Keweenaw	*	---	---	---	*	*	*	*	*	-	-
Lake	7.5	6.7	*	4.8	7.7	6.8	5.3	8.8	6.2	4.5	4.0
Lapeer	9.1	9.1	8.5	6.2	8.0	9.3	6.7	8.2	5.9	6.7	6.2
Leelanau	4.0	6.1	5.0	5.5	6.8	6.2	6.2	5.2	4.5	7.3	6.8
Lenawee	6.7	6.0	6.5	5.8	6.4	7.3	6.6	6.6	6.5	6.3	5.6
Livingston	8.7	8.0	8.2	7.9	8.5	7.0	6.5	8.5	7.2	7.6	6.1
Luce	5.7	*	7.6	7.7	6.4	*	*	*	*	*	*
Mackinac	11.9	9.1	11.8	11.5	9.7	11.7	9.5	15.4	7.9	7.4	8.0
Macomb	13.2	12.7	12.4	11.2	10.6	10.2	11.5	12.1	10.8	10.8	12.4
Manistee	3.7	4.2	6.6	5.0	7.3	6.9	8.2	6.5	7.8	5.9	7.3
Marquette	3.7	2.9	4.5	4.9	5.2	4.1	3.9	4.6	5.3	4.5	5.4
Mason	4.3	6.5	5.4	9.3	9.0	8.8	6.1	7.7	5.9	5.6	5.4
Mecosta	5.2	6.9	7.6	5.3	9.4	8.5	6.1	7.3	7.1	7.4	5.9
Menominee	---	*	*	*	*	*	*	*	*	*	-
Midland	6.6	5.2	5.1	5.6	5.3	7.2	5.2	7.1	7.2	6.6	6.3
Missaukee	5.8	4.3	5.0	3.8	5.5	4.4	3.0	5.8	3.6	4.8	6.5
Monroe	8.5	6.9	4.3	5.0	4.9	7.8	8.3	7.1	6.5	5.8	5.7
Montcalm	5.8	4.8	5.9	6.3	8.1	8.2	6.3	7.4	8.1	6.1	6.7
Montmorency	8.6	4.9	7.5	*	6.3	9.1	8.4	3.6	5.9	7.2	5.4
Muskegon	10.4	10.4	11.6	11.8	13.8	13.5	12.8	12.7	14.3	13.5	12.0
Newaygo	2.4	2.9	3.7	3.9	4.2	6.9	5.3	6.7	6.2	4.9	5.1
Oakland	13.7	13.9	11.0	8.1	10.6	10.6	10.4	11.0	11.0	10.1	9.2
Oceana	2.3	7.2	5.2	5.0	5.1	5.2	5.1	6.0	5.6	4.7	3.8
Ogemaw	3.4	5.7	5.0	4.7	5.0	6.3	7.3	5.9	8.0	5.4	5.7

Table G-2
Abortion Rates by County of Residence,
State of Michigan, Michigan Counties and Detroit City, 1996 - 2006

County	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Ontonagon	*	-	*	-	*	*	*	-	*	*	-
Osceola	4.6	3.7	7.4	4.9	6.5	5.6	6.6	7.4	3.8	6.1	4.4
Oscoda	4.9	*	*	4.3	5.0	6.0	4.3	6.1	*	3.9	3.9
Otsego	5.7	8.0	5.3	7.2	4.5	8.7	6.9	8.5	5.0	10.6	4.9
Ottawa	3.5	4.7	5.2	5.5	5.1	5.7	5.8	5.8	5.7	5.8	5.5
Presque Isle	4.1	5.3	*	4.1	3.9	6.8	4.7	3.4	4.7	3.9	2.6
Roscommon	8.0	11.0	8.8	10.3	6.6	7.2	9.6	9.9	5.9	6.2	6.7
Saginaw	14.0	13.3	12.5	12.1	14.5	15.5	14.6	15.5	16.3	14.1	13.3
St Clair	13.8	13.1	13.4	12.8	11.2	9.6	10.3	8.9	9.4	9.2	8.5
St Joseph	9.4	7.5	9.1	9.8	7.6	7.6	8.0	8.0	6.8	6.5	6.9
Sanilac	6.3	6.6	7.5	8.1	5.2	7.2	5.8	4.5	4.2	5.1	5.6
Schoolcraft	*	*	4.5	*	*	*	*	*	*	*	*
Shiawassee	8.5	7.4	6.8	5.8	8.0	7.9	7.7	8.8	7.3	6.8	7.2
Tuscola	4.9	6.9	7.0	6.5	5.6	7.7	7.1	6.7	7.0	5.8	6.6
Van Buren	10.5	10.2	9.5	10.5	12.4	11.1	12.0	10.4	9.2	10.1	8.9
Washtenaw	17.5	18.1	15.7	15.5	13.9	12.8	13.8	15.6	13.7	12.9	13.1
Wayne	19.9	19.4	18.5	17.9	18.8	20.1	23.9	23.2	19.7	19.2	20.2
Detroit	26.6	27.2	28.1	26.5	25.7	25.4	30.8	27.5	22.1	22.4	24.8
Wayne Excluding Detroit	13.7	12.4	10.1	9.9	11.9	14.6	16.4	17.4	16.3	15.6	15.2
Wexford	4.9	5.5	6.4	6.4	5.8	8.4	8.3	7.1	7.8	6.8	7.1

Note: Rates are per 1,000 age and sex specific population.
 - A dash indicates quantity zero.
 *Figure does not meet standards of reliability or precision.

Source: 1996 - 2006 Michigan Abortion Files, Vital Records & Health Data Development Section, Michigan Department of Community Health.
 Population Estimate (latest update 9/2007), National Center for Health Statistics, [U.S. Census Populations With Bridged Race Categories](#).

Table 1
Number of Reported Induced Abortions
by County of Residence
Michigan Residents, 2006

County of Residence	Number	County of Residence (continued)	Number	County of Residence (continued)	Number
MICHIGAN	24,905				
Alcona	6	Gratiot	54	Missaukee	20
Alger	3	Hillsdale	44	Monroe	181
Allegan	123	Houghton	14	Montcalm	85
Alpena	24	Huron	28	Montmorency	9
Antrim	31	Ingham	1,093	Muskegon	423
Arenac	25	Ionia	100	Newaygo	51
Baraga	2	Iosco	29	Oakland	2,227
Barry	67	Iron	3	Oceana	21
Bay	202	Isabella	123	Ogemaw	22
Benzie	25	Jackson	333	Ontonagon	-
Berrien	300	Kalamazoo	844	Osceola	20
Branch	52	Kalkaska	13	Oscoda	6
Calhoun	341	Kent	1,534	Otsego	24
Cass	67	Keweenaw	-	Ottawa	315
Charlevoix	23	Lake	8	Presque Isle	6
Cheboygan	23	Lapeer	118	Roscommon	29
Chippewa	27	Leelanau	25	Saginaw	551
Clare	43	Lenawee	114	Saint Clair	298
Clinton	89	Livingston	232	Saint Joseph	84
Crawford	15	Luce	4	Sanilac	48
Delta	7	Mackinac	15	Schoolcraft	5
Dickinson	2	Macomb	2,111	Shiawassee	108
Eaton	192	Manistee	31	Tuscola	75
Emmet	35	Marquette	75	Van Buren	142
Genesee	1,566	Mason	29	Washtenaw	1,115
Gladwin	32	Mecosta	56	Wayne	8,398
Gogebic	1	Menominee	-	Wexford	45
Gd Traverse	138	Midland	105		

Note: Reports with unknown county of residence are included in the 'Michigan' total only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 2
Number of Reported Induced Abortions
by County of Residence and Age of Woman
Michigan Residents, 2006

County of Residence	Total	Age of Woman					
		< 20	20-24	25-29	30-34	35-39	40+
Michigan	24,905	4,582	8,044	5,719	3,590	2,227	726
Alcona	6	[.....(6).....]					
Alger	3	[.....(3).....]					
Allegan	123	20	37	29	17	15	5
Alpena	24	5	7	[.....(5).....]		[.....(7).....]	
Antrim	31	[.....(16).....]		7	[.....(8).....]		
Arenac	25	5	12	5	[.....(3).....]		
Baraga	2	[.....(2).....]					
Barry	67	19	21	7	11	[.....(9).....]	
Bay	202	42	66	55	23	11	5
Benzie	25	9	6	[.....(5).....]		[.....(5).....]	
Berrien	300	50	93	71	44	34	8
Branch	52	10	22	9	7	[.....(4).....]	
Calhoun	341	67	125	73	43	28	5
Cass	67	18	22	11	8	[.....(8).....]	
Charlevoix	23	[.....(7).....]		8	3	[.....(5).....]	
Cheboygan	23	6	5	[.....(12).....]			
Chippewa	27	5	10	4	5	[.....(3).....]	
Clare	43	12	12	10	4	[.....(5).....]	
Clinton	89	19	26	16	13	[.....(15).....]	
Crawford	15	[.....(7).....]		4	[.....(4).....]		
Delta	7	[.....(3).....]			[.....(4).....]		
Dickinson	2	[.....(2).....]					
Eaton	192	48	64	38	28	10	4
Emmet	35	5	8	7	5	[.....(10).....]	
Genesee	1,566	281	507	403	210	128	37
Gladwin	32	8	10	7	[.....(7).....]		
Gogebic	1	[.....(1).....]					
Grand Traverse	138	22	45	28	19	16	8
Gratiot	54	15	13	15	4	4	3
Hillsdale	44	9	16	9	7	[.....(3).....]	
Houghton	14	3	6	[.....(5).....]			
Huron	28	10	6	5	3	[.....(4).....]	
Ingham	1,093	225	429	222	123	75	17
Ionia	100	24	32	16	14	9	5
Iosco	29	3	17	[.....(5).....]		[.....(4).....]	
Iron	3	[.....(3).....]					
Isabella	123	28	54	20	10	7	4

Table 2
Number of Reported Induced Abortions
by County of Residence and Age of Woman
Michigan Residents, 2006

County of Residence	Total	Age of Woman					
		< 20	20-24	25-29	30-34	35-39	40+
Jackson	333	68	114	76	38	29	8
Kalamazoo	844	147	343	179	92	58	25
Kalkaska	13	[.....(7).....]		3	[.....(3).....]		
Kent	1,534	261	551	357	209	114	42
Keweenaw	0	[.....(0).....]					
Lake	8	[.....(8).....]					
Lapeer	118	27	41	25	13	7	5
Leelanau	25	3	8	3	6	[.....(5).....]	
Lenawee	114	26	42	16	14	11	5
Livingston	232	45	78	41	32	28	8
Luce	4	[.....(4).....]					
Mackinac	15	[.....(5).....]		5	[.....(5).....]		
Macomb	2,111	343	635	507	340	213	73
Manistee	31	9	9	3	5	[.....(5).....]	
Marquette	75	7	38	13	12	[.....(5).....]	
Mason	29	5	11	6	3	[.....(4).....]	
Mecosta	56	7	30	12	4	[.....(3).....]	
Menominee	0	[.....(0).....]					
Midland	105	19	32	22	11	16	5
Missaukee	20	4	5	6	[.....(5).....]		
Monroe	181	36	48	41	28	25	3
Montcalm	85	21	29	10	10	5	10
Montmorency	9	[.....(5).....]		[.....(4).....]			
Muskegon	423	76	149	103	57	31	7
Newaygo	51	15	15	12	3	[.....(6).....]	
Oakland	2,227	371	646	528	360	243	75
Oceana	21	5	4	3	5	[.....(4).....]	
Ogemaw	22	[.....(11).....]		3	5	[.....(3).....]	
Ontonagon	0	[.....(0).....]					
Osceola	20	5	6	3	[.....(6).....]		
Oscoda	6	[.....(6).....]					
Otsego	24	5	12	3	[.....(4).....]		
Ottawa	315	71	117	45	34	35	13
Presque Isle	6	[.....(6).....]					
Roscommon	29	4	14	4	[.....(7).....]		
Saginaw	551	87	192	135	80	42	15
Saint Clair	298	74	101	58	27	31	7
Saint Joseph	84	17	21	23	11	[.....(12).....]	
Sanilac	48	12	17	12	4	[.....(3).....]	
Schoolcraft	5	[.....(5).....]					
Shiawassee	108	20	36	23	12	8	8

Table 2
Number of Reported Induced Abortions
by County of Residence and Age of Woman
Michigan Residents, 2006

County of Residence	Total	Age of Woman					
		< 20	20-24	25-29	30-34	35-39	40+
Tuscola	75	11	30	15	8	[.....(11).....]	
Van Buren	142	25	45	29	17	[.....(22).....]	
Washtenaw	1,115	183	414	254	126	91	41
Wayne	8,398	1,571	2,461	2,022	1,371	746	227
Wexford	45	8	17	11	4	[.....(5).....]	

Note: Reports with unknown age of woman are included in the 'Total' column only. Reports with unknown county of residence are included in the 'Michigan' row only. The brackets "[_]" are used to indicate groups that have been combined so that counts less than three are not displayed, and the number "(_)" indicates the total count of reported cases in the combined groups.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 3-A
Number of Reported Induced Abortions
by City of Residence and Age of Woman
for Cities with Over 40,000 Population
Michigan Residents, 2006

City of Residence	Total	Age of Woman					
		< 20	20-24	25-29	30-34	35-39	40+
Michigan							
Number	24,905	4,582	8,044	5,719	3,590	2,227	726
Percent	100.0	18.4	32.3	23.0	14.4	8.9	2.9
All Large Cities							
Number	13,998	2,517	4,507	3,363	2,095	1,154	356
Percent	100.0	18.0	32.2	24.0	15.0	8.2	2.5
Ann Arbor	432	61	172	99	42	35	23
Battle Creek	271	55	98	52	39	22	5
Dearborn	190	28	64	49	26	14	9
Dearborn Heights	119	21	28	28	24	13	5
Detroit	5,399	1,060	1,547	1,293	913	469	114
East Lansing	183	47	101	13	13	[.....(9).....]	
Farmington Hills	95	11	31	17	23	[.....(12).....]	
Flint	924	155	307	264	114	69	15
Grand Rapids	840	146	297	199	117	60	21
Holland	140	27	57	28	16	7	5
Kalamazoo	637	108	271	135	65	45	13
Kentwood	175	28	60	46	26	[.....(15).....]	
Lansing	755	146	269	181	95	51	11
Lincoln Park	119	24	33	32	19	5	6
Livonia	116	24	44	17	20	7	4
Midland	85	16	26	15	9	15	4
Muskegon	278	47	89	76	44	18	4
Novi	76	11	16	27	13	3	6
Pontiac	253	54	81	48	47	18	5
Portage	136	19	48	34	18	9	8
Rochester Hills	95	15	24	21	16	15	4
Roseville	164	30	34	53	31	12	4
Royal Oak	85	10	33	21	13	[.....(8).....]	
Saginaw	486	71	173	118	74	39	11
Saint Clair Shores	113	16	36	27	18	11	5

Table 3-A
Number of Reported Induced Abortions
by City of Residence and Age of Woman
for Cities with Over 40,000 Population
Michigan Residents, 2006

City of Residence	Total	Age of Woman					
		< 20	20-24	25-29	30-34	35-39	40+
Southfield	314	53	87	81	54	33	6
Sterling Heights	273	39	82	70	38	26	18
Taylor	237	36	77	68	29	21	6
Troy	107	9	21	30	20	16	11
Warren	371	62	110	92	54	40	13
Westland	343	58	118	88	41	30	8
Wyoming	187	30	73	41	24	12	7

Note: Reports with unknown age of woman are included in the 'Total' column only. Reports with unknown place of residence are included in the 'Michigan' total row only. Population based upon the 2000 Census. The brackets "[_]" are used to indicate age groups that have been combined so that counts less than three are not displayed, and the number "(_)" indicates the total count of reported cases in the combined groups.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 3-B
Number of Reported Induced Abortions
by Area of Residence and Age of Woman
for Selected Large Metropolitan Areas
Michigan Residents, 2006

Area of Residence	Total	Age of Woman					
		< 20	20-24	25-29	30-34	35-39	40+
Michigan							
Number	24,905	4,582	8,044	5,719	3,590	2,227	726
Percent	100.0	18.4	32.3	23.0	14.4	8.9	2.9
Metro Total							
Number	19,443	3,469	6,178	4,607	2,911	1,710	552
Percent	100.0	17.8	31.8	23.7	15.0	8.8	2.8
Genesee County	1,566	281	507	403	210	128	37
Ingham County	1,093	225	429	222	123	75	17
Kalamazoo County	844	147	343	179	92	58	25
Kent County	1,534	261	551	357	209	114	42
Macomb County	2,111	343	635	507	340	213	73
Oakland County	2,227	371	646	528	360	243	75
Saginaw County	551	87	192	135	80	42	15
Washtenaw County	1,115	183	414	254	126	91	41
Wayne County (Excluding Detroit)	2,999	511	914	729	458	277	113
Detroit City	5,399	1,060	1,547	1,293	913	469	114

Note: Reports with unknown age of woman are included in the 'Total' column only. Reports with unknown place of residence are included in the 'Michigan' row only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 4
Number of Reported Induced Abortions
by County of Residence
and Number of Previous Induced Abortions
Michigan Residents, 2006

County of Residence	Total	Previous Induced Abortions		
		None	One	Two +
Michigan				
Number	24,905	12,777	6,506	5,622
Percent	100.0	51.3	26.1	22.6
Alcona	6	[.....(6).....]		
Alger	3	[.....(3).....]		
Allegan	123	75	33	15
Alpena	24	17	[.....(7).....]	
Antrim	31	17	[.....(14).....]	
Arenac	25	14	6	5
Baraga	2	[.....(2).....]		
Barry	67	53	[.....(14).....]	
Bay	202	115	62	25
Benzie	25	21	[.....(4).....]	
Berrien	300	186	81	33
Branch	52	39	10	3
Calhoun	341	198	96	47
Cass	67	42	16	9
Charlevoix	23	11	5	7
Cheboygan	23	13	4	6
Chippewa	27	19	4	4
Clare	43	28	12	3
Clinton	89	51	24	14
Crawford	15	11	[.....(4).....]	
Delta	7	[.....(7).....]		
Dickinson	2	[.....(2).....]		
Eaton	192	120	49	23
Emmet	35	21	10	4
Genesee	1,566	765	393	408
Gladwin	32	17	11	4
Gogebic	1	[.....(1).....]		
Grand Traverse	138	95	34	9
Gratiot	54	31	15	8
Hillsdale	44	33	5	6
Houghton	14	[.....(14).....]		
Huron	28	18	6	4

Table 4
Number of Reported Induced Abortions
by County of Residence
and Number of Previous Induced Abortions
Michigan Residents, 2006

County of Residence	Total	Previous Induced Abortions		
		None	One	Two +
Ingham	1,093	640	284	169
Ionia	100	65	28	7
Iosco	29	16	10	3
Iron	3	[.....(3).....]		
Isabella	123	92	25	6
Jackson	333	185	96	52
Kalamazoo	844	482	212	150
Kalkaska	13	9	[.....(4).....]	
Kent	1,534	969	354	211
Keweenaw	0	[.....(0).....]		
Lake	8	[.....(8).....]		
Lapeer	118	80	28	10
Leelanau	25	14	7	4
Lenawee	114	67	36	11
Livingston	232	153	48	31
Luce	4	[.....(4).....]		
Mackinac	15	10	[.....(5).....]	
Macomb	2,111	1,046	596	469
Manistee	31	26	[.....(5).....]	
Marquette	75	57	[.....(18).....]	
Mason	29	16	10	3
Mecosta	56	42	11	3
Menominee	0	[.....(0).....]		
Midland	105	63	28	14
Missaukee	20	14	[.....(6).....]	
Monroe	181	93	52	36
Montcalm	85	61	16	8
Montmorency	9	[.....(9).....]		
Muskegon	423	232	103	88
Newaygo	51	32	15	4
Oakland	2,227	1,164	591	472
Oceana	21	15	[.....(6).....]	
Ogemaw	22	14	[.....(8).....]	
Ontonagon	0	[.....(0).....]		
Osceola	20	11	4	5
Oscoda	6	[.....(6).....]		
Otsego	24	16	[.....(8).....]	
Ottawa	315	213	75	27
Presque Isle	6	[.....(6).....]		
Roscommon	29	20	[.....(9).....]	

Table 4
Number of Reported Induced Abortions
by County of Residence
and Number of Previous Induced Abortions
Michigan Residents, 2006

County of Residence	Total	Previous Induced Abortions		
		None	One	Two +
Saginaw	551	297	142	112
Saint Clair	298	182	85	31
Saint Joseph	84	53	22	9
Sanilac	48	31	[.....(17).....]	
Schoolcraft	5	[.....(5).....]		
Shiawassee	107	64	33	10
Tuscola	76	47	21	8
Van Buren	138	72	40	26
Washtenaw	1,113	651	279	183
Wayne	8,404	3,357	2,252	2,795
Wexford	45	34	[.....(11).....]	

Note: The brackets "[_]" are used to indicate groups that have been combined so that counts less than three are not displayed, and the number "(_)" indicates the total count of reported cases in the combined groups. Reports with unknown previous induced abortions are included in the "Number" total only. Reports with unknown county of residence are included in the 'Michigan' total row only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 5
Number and Percent of Reported Induced Abortions
by Age of Woman and Marital Status
Michigan Residents, 2006

Age of Woman	Marital Status				
	Total	Not Married		Married	
		Number	Percent	Number	Percent
All Ages	24,905	21,620	86.8	3,111	12.5
Under 20	4,582	4,519	98.6	34	0.7
20 - 24	8,044	7,548	93.8	438	5.4
25 - 29	5,719	4,807	84.1	867	15.2
30 - 34	3,590	2,732	76.1	841	23.4
35 - 39	2,227	1,558	70.0	649	29.1
40 or Older	726	444	61.2	279	38.4

Note: Reports with unknown age of woman are included in the 'All Ages' row only. Reports with unknown marital status are included in the 'Total' column only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 6
Number and Percent of Reported Induced Abortions
by Source of Referral and Age of Woman
Michigan Residents, 2006

Age of Woman	Source of Referral														
	Total	Physician		Self		Friend or Family		Clergy		Social Agency		Health Department		Family Planning Agency	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
All Ages	24,905	713	2.9	21,978	88.2	1,378	5.5	20	0.1	7	0.0	50	0.2	661	2.7
Under 20	4,582	137	3.0	3,874	84.5	360	7.9	6	0.1	1	0.0	17	0.4	168	3.7
20 - 24	8,044	215	2.7	7,032	87.4	489	6.1	7	0.1	4	0.0	18	0.2	241	3.0
25 - 29	5,719	159	2.8	5,126	89.6	275	4.8	3	0.1	-	-	8	0.1	130	2.3
30 - 34	3,590	113	3.1	3,253	90.6	142	4.0	3	0.1	1	0.0	6	0.2	57	1.6
35 - 39	2,227	58	2.6	2,024	90.9	92	4.1	1	0.0	1	0.0	-	-	45	2.0
40 or Older	726	30	4.1	653	89.9	20	2.8	-	-	-	-	1	0.1	20	2.8

Note: Reports with source of referral not reported are included in the 'Total' column only. Reports with age of woman not reported are included in the 'All Ages' row only.

-: A dash indicates quantity zero.

0.0: Quantity more than zero but less than 0.05.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records and Health Data Development Section, Michigan Department of Community Health

Table 7
Number and Percent of Reported Induced Abortions
by the Number of Previous Pregnancies
Carried to Term and Marital Status
Michigan Residents, 2006

Marital Status	Total	Previous Pregnancies Carried to Term											
		None		One		Two		Three		Four		Five or More	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	24,905	10,064	40.4	6,499	26.1	4,942	19.8	2,175	8.7	800	3.2	425	1.7
Not Married	21,620	9,597	44.4	5,725	26.5	3,772	17.4	1,612	7.5	588	2.7	326	1.5
Married	3,111	393	12.6	730	23.5	1,139	36.6	547	17.6	204	6.6	98	3.2

Note: Term pregnancies are those which lasted 37 weeks or longer, regardless of the outcome. Reports with term pregnancies not reported are included in the "Total" column only. Reports with marital status not reported are included in the "Total" row only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 8
Number and Percent of Reported Induced Abortions by Age of Woman
and Number of Previous Spontaneous Abortions
Michigan Residents, 2006

Age of Woman	Previous Spontaneous Abortions								
	Total	None		One		Two		Three or More	
	Number	Number	Percent	Number	Percent	Number	Percent	Number	Percent
All Ages	24,905	20,337	81.7	3,524	14.1	753	3.0	291	1.2
Under 20	4,582	4,380	95.6	181	4.0	15	0.3	6	0.1
20 - 24	8,044	7,034	87.4	834	10.4	140	1.7	36	0.4
25 - 29	5,719	4,377	76.5	1,044	18.3	210	3.7	88	1.5
30 - 34	3,590	2,478	69.0	815	22.7	214	6.0	83	2.3
35 - 39	2,227	1,559	70.0	479	21.5	134	6.0	55	2.5
40 or Older	726	495	68.2	169	23.3	40	5.5	22	3.0

Note: Reports with unknown age of woman are included in the 'All Ages' row only. Reports with previous spontaneous abortions not reported are included in the 'Total' column only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

**Table 9
Number and Percent
of Reported
Induced Abortions
by County of Occurrence
Michigan Occurrences, 2006**

County of Occurrence	Reported Induced Abortions	
	Number	Percent
MICHIGAN	25,636	100.0
Berrien	601	2.3
Genesee	1,721	6.7
Grand Traverse	119	0.5
Ingham	1,692	6.6
Kalamazoo	1,413	5.5
Kent	2,563	10.0
Macomb	5,050	19.7
Marquette	61	0.2
Muskegon	309	1.2
Oakland	2,615	10.2
Saginaw	1,365	5.3
Washtenaw	2,178	8.5
Wayne	5,948	23.2
All Other	1	0.0

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

**Table 10
Number and Percent of Reported Induced Abortions by Weeks of Gestation
and Principal Procedure, Michigan Occurrences, 2006**

Weeks of Gestation	Principal Procedure														
	Total	Suction Curettage		Medical (Non-Surgical)		Dilation & Evacuation		Saline or Prostaglandin		Sharp Curettage (D & C)		Hysterectomy or Hysterotomy		Other Procedures	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	25,636	20,903	81.5	2,597	10.1	1,578	6.2	25	0.1	519	2.0	-	-	9	0.0
< 5	622	463	74.4	135	21.7	4	0.6	-	-	20	3.2	-	-	-	-
5-8	14,995	12,245	81.7	2,193	14.6	255	1.7	-	-	300	2.0	-	-	-	-
9-12	7,522	6,563	87.3	196	2.6	585	7.8	-	-	176	2.3	-	-	-	-
13-16	1,925	1,353	70.3	26	1.4	520	27.0	2	0.1	21	1.1	-	-	2	0.1
17-20	436	223	51.1	28	6.4	171	39.2	8	1.8	2	0.5	-	-	4	0.9
21-24	105	36	34.3	18	17.1	36	34.3	13	12.4	-	-	-	-	2	1.9
25-28	17	9	52.9	-	-	5	29.4	2	11.8	-	-	-	-	1	5.9
Over 28	3	3	100.0	-	-	-	-	-	-	-	-	-	-	-	-

Note: Weeks of gestation is the calculated number of weeks corresponding to the time elapsed since the date of the last regular menstrual period and the date of the abortion. Reports with weeks of gestation not reported are included in the 'Total' row only. Reports with principal procedure not reported are included in the 'All Procedures' column only. The reporting of procedures used conforms to national recommendations issued by the Centers for Disease Control and Prevention (CDC). In abortions where more than one procedure was performed, the principal procedure was determined according to the following hierarchy: hysterectomy/hysterotomy, sharp curettage (D&C), saline injection or prostaglandin, dilation and evacuation, medical (non-surgical), suction curettage, and other procedures.

-: A dash indicates quantity zero.

0.0: Quantity more than zero but less than 0.05.

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 11
Number and Percent of Reported Induced Abortions by Weeks of Gestation
and Type of Facility, Michigan Occurrences, 2006

Weeks Gestation	Type of Facility										
	Total	Hospital		Hospital Satellite Clinic		Freestanding Outpatient Surgical Facility		Physician's Private Office		Other	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
All Weeks Gestation	25,636	104	0.4	-	-	6,778	26.4	18,745	73.1	2	0.0
< 5	622	-	-	-	-	114	18.3	507	81.5	-	-
5 - 8	14,995	3	0.0	-	-	4,087	27.3	10,901	72.7	-	-
9 - 12	7,522	5	0.1	-	-	1,942	25.8	5,572	74.1	1	0.0
13 - 16	1,925	18	0.9	-	-	523	27.2	1,384	71.9	-	-
17 - 20	436	44	10.1	-	-	98	22.5	294	67.4	-	-
21 - 24	105	32	30.5	-	-	6	5.7	67	63.8	-	-
25 - 28	17	2	11.8	-	-	3	17.6	11	64.7	1	5.9
Over 28	3	-	-	-	-	1	33.3	2	66.7	-	-

Note: Reports with unknown type of facility are included in the 'Total' column only. Weeks of gestation is the calculated number of weeks corresponding to the time elapsed since the date of the last menstrual period and the date of the abortion. Reports with weeks of gestation not reported are included in the 'All Weeks Gestation' row only.

-: A dash indicates quantity zero.

0.0 Quantity more than zero but less than 0.05.

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

**Table 12
Number and Percent of Reported Induced Abortions by Principal Procedure
and Type of Facility, Michigan Occurrences, 2006**

Principal Procedure	Type of Facility										
	Total	Hospital		Hospital Satellite Clinic		Freestanding Outpatient Surgical Facility		Physician's Private Office		Other	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
All Procedures	25,636	104	0.4	-	-	6,778	26.4	18,745	73.1	2	0.0
Suction Curettage	20,903	12	0.1	-	-	4,673	22.4	16,212	77.6	-	-
Medical (Non-Surgical)	2,597	55	2.1	-	-	1,380	53.1	1,162	44.7	-	-
Dilatation and Evacuation	1,578	2	0.1	-	-	279	17.7	1,295	82.1	1	0.1
Saline Injection or Prostaglandin	25	25	100.0	-	-	-	-	-	-	-	-
Sharp Curettage (D&C)	519	2	0.4	-	-	445	85.7	72	13.9	-	-
Hysterectomy/ Hysterotomy	-	-	-	-	-	-	-	-	-	-	-
Other Procedures	9	8	88.9	-	-	-	-	-	-	1	11.1

Note: Reports with principal procedure not reported are included in the 'All Procedures' row only. Reports with type of facility unknown are included in the 'Total' column only. The reporting of procedures used has been changed to conform to national recommendations issued by the Centers for Disease Control and Prevention (CDC). In abortions where more than one procedure was performed, the principal procedure was determined according to the following hierarchy: hysterectomy/hysterotomy, sharp curettage (D&C), saline injection or prostaglandin, dilation and evacuation, medical (non-surgical), suction curettage and other procedures.

-: A dash indicates quantity zero.

0.0 Quantity more than zero but less than 0.05.

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 13
Number and Percent of Reported Induced Abortions
with Any Mention of Immediate Complication
by Type of Immediate Complication
Michigan Occurrences, 2006

Type of Immediate Complications	Number	Percent
Total Immediate Complications	5	0.02
Shock	-	-
Uterine Perforation	-	-
Cervical Laceration	1	0.00
Hemorrhage	-	-
Allergic Response	-	-
Death	-	-
Infection	1	0.00
Retained Products	3	0.01
Other Complications	-	-

Note: Abortions with at least one immediate complication may not equal the sum of all the complications specified because a woman may have multiple complications reported.

0.00 Quantity more than zero but less than 0.005.
 - A dash indicates quantity zero.

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 14
Number of Reported Induced Abortions with Any
Mention of Immediate Complication
by Selected Characteristics
Michigan Occurrences, 2006

Selected Characteristics	Number	Selected Characteristics	Number
<u>Age of Woman</u>		<u>Principal Procedure</u>	
All Ages	5	All Procedures	5
< 20	-	Suction Curettage	-
20 - 24	1	Medical (non-surgical)	4
25 - 29	1	Dilation and Evacuation	1
30 - 34	-	Saline or Prostaglandin	-
35 - 39	3	Sharp Curettage (D & C)	-
40 +	-	Hysterotomy/Hysterectomy	-
		Other Procedures	-
<u>Weeks of Gestation</u>		<u>Type of Facility</u>	
Total	5	All Facilities	5
< 5	-	Hospital	4
05 - 08	-	Hospital Satellite Clinic	-
09 - 12	-	Freestanding Outpatient	1
13 - 16	2	Surgical Facility	-
17 - 20	3	Physician's Private Office	-
21 - 24	-	Other Facilities	-

Note: Weeks of gestation is the calculated number of weeks corresponding to the time elapsed since the date of the last regular menstrual period and the date of the abortion. The reporting of procedures used conforms to national recommendations issued by the Centers for Disease Control and Prevention (CDC). In abortions where more than one procedure was performed, the principal procedure was determined according to the following hierarchy: hysterectomy/hysterotomy, sharp curettage (D&C), saline injection or prostaglandin, dilation and evacuation, medical (non-surgical), suction curettage and other procedures.

-: A dash indicates quantity zero.

Source: 2006 Files of Reported Induced Abortions Occurring in Michigan, Vital Records and Health Data Development Section, Michigan Department of Community Health

Table 15
Number of Reported Induced
Abortions
by Evidence of Life
Michigan Occurrences, 2006

Evidence of Life	Number
Total Abortions	25,636
Present	2
Not Present	25,634
Not Reported	-

Note: Responses in reply to the question: "Did fetus show evidence of life when separated, expelled or removed from the woman?"

-: A dash indicates quantity zero.

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 16
Number and Percent of
Reported Induced Abortions
by Weight of Fetus
Michigan Occurrences, 2006

Weight of Fetus	Reported Induced Abortions	
	Number	Percent
All Weights	25,636	100.0
1 - 99 Grams	1,221	4.8
100 - 399 Grams	93	0.4
400 Grams or More	25	0.1
Not Determinable	24,297	94.8

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 17
Number and Percent
of Reported Induced Abortions
by Race of Woman,
Michigan Residents, 2006

Race of Woman	Number	Percent
All Races	24,905	100.0
White	13,217	53.1
Black	9,936	39.9
American Indian	112	0.4
Asian & Pacific Islander	543	2.2
Multi Racial	138	0.6
Other	139	0.6

Note: Abortions with unknown or not reported race of woman are included in "All Races" row only.

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 18
Number and Percent of Reported Induced Abortions
by Race of Woman and Marital Status
Michigan Residents, 2006

Race of Woman	Marital Status				
	Total	Not Married		Married	
		Number	Percent	Number	Percent
All Ages	24,905	21,620	86.8	3,111	12.5
White	13,217	11,329	85.7	1,788	13.5
Black	9,936	9,083	91.4	805	8.1
American Indian	112	61	54.5	50	44.6
Asian & Pacific Islander	543	253	46.6	282	51.9
Multi Racial	138	125	90.6	11	8.0
Other	139	102	73.4	30	21.6

Note: Reports with unknown race of woman are included in the 'All Races' row only. Reports with unknown marital status are included in the 'Total' column only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 19
Number and Percent of Reported Induced Abortions
by Race of Woman and
Number of Previous Spontaneous Abortions
Michigan Residents, 2006

Race of Woman	Previous Spontaneous Abortions						
	Total	None		One		Two or More	
		Number	Percent	Number	Percent	Number	Percent
All Races	24,905	20,337	81.7	3,524	14.1	1,044	4.2
White	13,217	11,143	84.3	1,587	12.0	487	3.7
Black	9,936	7,735	77.9	1,706	17.2	495	5.0
American Indian	112	93	83.0	12	10.7	7	6.3
Asian & Pacific Islander	543	469	86.4	61	11.2	13	2.4
Multi Racial	138	110	79.7	22	15.9	6	4.4
Other	139	120	86.3	15	10.8	4	2.9

Note: Reports with unknown race of woman are included in the 'All Races' row only. Reports with previous spontaneous abortions not reported are included in the 'Total' column only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 20
Number and Percent of Reported Induced Abortions
by the Source of Payment
and Race of Woman
Michigan Residents, 2006

Race of Woman	Source of Payment				
	All Sources	Insurance		Self Pay	
		Number	Percent	Number	Percent
All Races	24,905	609	2.4	24,295	97.6
White	13,217	348	2.6	12,868	97.4
Black	9,936	203	2.0	9,733	98.0
American Indian	112	5	4.5	107	95.5
Asian & Pacific Islander	543	18	3.3	525	96.7
Multi Racial	138	1	0.7	137	99.3
Other	139	2	1.4	137	98.6

Note: Reports with race of woman not reported are included in the 'All Races' row only. Reports with unknown source of payment are included in the 'Total' column only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 21
Number and Percent of Reported Induced Abortions
by Race and Age of Woman
Michigan Residents, 2006

Race of Woman	Age of Woman										
	All Ages	Under 20		20 - 24		25 - 29		30 - 34		35 or Older	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
All Races	24,905	4,582	18.4	8,044	32.3	5,719	23.0	3,590	14.4	2,953	11.9
White	13,217	2,456	18.6	4,506	34.1	2,852	21.6	1,708	12.9	1,685	12.7
Black	9,936	1,865	18.8	3,018	30.4	2,460	24.8	1,576	15.9	1,012	10.2
American Indian	112	11	9.8	32	28.6	30	26.8	25	22.3	14	12.5
Asian & Pacific Islander	543	27	5.0	127	23.4	127	23.4	115	21.2	147	27.1
Multi Racial	138	42	30.4	50	36.2	26	18.8	15	10.9	5	3.6
Other	139	26	18.7	45	32.4	37	26.6	19	13.7	10	7.2

Note: Reports with age of woman not reported are included in the 'All Ages' column only. Reports with race of woman not reported are included in the 'All Races' row only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records and Health Data Development Section, Michigan Department of Community Health

Table 22
Number and Percent
of Reported Induced Abortions
with Any Mention of
Subsequent Complication
by Type of Subsequent Complication
Michigan Occurrences, 2006

Type of Subsequent Complications	Number	Percent
Total Subsequent Complications	12	0.05
Shock	-	-
Uterine Perforation	-	-
Cervical Laceration	-	-
Hemorrhage	9	0.04
Allergic Response	-	-
Death	-	-
Infection	2	0.01
Retained Products	3	0.01
Other Complications	3	0.01

Note: Abortions with at least one subsequent complication may not equal the sum of all the complications specified because women may have multiple complications reported.

-: A dash indicates quantity zero.

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 23
Number and Percent of Reported Induced Abortions
by the Source of Payment
and Age of Woman
Michigan Residents, 2006

Age of Woman	Source of Payment				
	All Sources	Insurance		Self Pay	
		Number	Percent	Number	Percent
All Ages	24,905	609	2.4	24,295	97.6
Under 20	4,582	113	2.5	4,469	97.5
20 - 24	8,044	132	1.6	7,912	98.4
25 - 29	5,719	137	2.4	5,581	97.6
30 - 34	3,590	132	3.7	3,458	96.3
35 - 39	2,227	72	3.2	2,155	96.8
40 or Older	726	21	2.9	705	97.1

Note: Reports with age of woman not reported are included in the 'All Ages' row only. Reports with Source of payment unknown are included in the "All Sources" column only.

Source: 2006 File of Michigan Resident Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 24
Number and Percent of Reported Induced Abortions by Weeks of Gestation
and Method to Confirm Pregnancy, Michigan Occurrences, 2006

Weeks of Gestation	Method to Confirm Pregnancy												
	Total	Home Urine Test		Clinical Lab Urine Test		Clinical Lab Blood Test		Ultrasound		Not Tested		Other	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
All Weeks Gestation	25,636	1,068	4.2	1,367	5.3	75	0.3	22,937	89.5	18	0.1	13	0.1
< 5	622	30	4.8	24	3.9	1	0.2	566	91.0	-	-	-	-
5 - 8	14,995	545	3.6	742	4.9	24	0.2	13,616	90.8	5	0.0	6	0.0
9 - 12	7,522	309	4.1	409	5.4	28	0.4	6,712	89.2	11	0.1	6	0.1
13 - 16	1,925	121	6.3	136	7.1	7	0.4	1,636	85.0	-	-	1	0.1
17 - 20	436	40	9.2	36	8.3	10	2.3	332	76.1	2	0.5	-	-
21 - 24	105	20	19.0	17	16.2	4	3.8	54	51.4	-	-	-	-
25 - 28	17	3	17.6	2	11.8	1	5.9	8	47.1	-	-	-	-
Over 28	3	-	-	-	-	-	-	3	100.0	-	-	-	-

Note: Weeks of gestation is the calculated number of weeks corresponding to the time elapsed since the date of the last regular menstrual period and the date of the abortion. Reports with weeks of gestation not reported are included in the 'All Weeks Gestation' row only. Reports with method to confirm pregnancy not reported are included in the 'Total' column only.

0.0 Quantity more than zero but less than 0.05.
 - A dash indicates quantity zero.

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.

Table 25
Number of Reported Induced Abortions with Any Mention of
Subsequent Complication by Selected Characteristics, Michigan
Occurrences, 2006

Selected Characteristics	Number	Selected Characteristics	Number
<u>Age of Woman</u>		<u>Principal Procedure</u>	
All Ages	12	All Procedures	12
< 20	1	Suction Curettage	1
20 - 24	3	Medical (non-surgical)	4
25 - 29	3	Dilation and Evacuation	2
30 - 34	4	Saline or Prostaglandin	-
35 - 39	-	Sharp Curettage (D & C)	3
40 +	1	Hysterotomy/Hysterectomy	-
		Other Procedures	2
<u>Weeks of Gestation</u>		<u>Type of Facility</u>	
Total	12	All Facilities	12
< 5	-	Hospital	1
05 - 08	7	Hospital Satellite Clinic	-
09 - 12	2	Freestanding Outpatient Surgical Facility	3
13 - 16	-	Physician's Private Office	1
17 - 20	1	Other Facilities	7
20 +	1		

Note: Weeks of gestation is the calculated number of weeks corresponding to the time elapsed since the date of the last regular menstrual period and the date of the abortion. Reports with weeks of gestation not reported are included in the 'Total' row only. Reports with principal procedure not reported are included in the 'All Procedures' row only. The reporting of procedures used conforms to national recommendations issued by the Centers for Disease Control and Prevention (CDC). In abortions where more than one procedure was performed, the principal procedure was determined according to the following hierarchy: hysterectomy/hysterotomy, sharp curettage (D&C), saline injection or prostaglandin, dilation and evacuation, medical (non-surgical), suction curettage, and other procedures. Reports with unknown facility type are included in the 'All Facilities' row only.

-: A dash indicates quantity zero.

Source: 2006 File of Reported Induced Abortions Occurring in Michigan, Vital Records & Health Data Development Section, Michigan Department of Community Health.